




1

2

3

4

REV	ECN#	DESCRIPTION OF REVISION	DRAW BY DATE	CHECK BY DATE	APPROVE BY DATE
A1	ECN-180917	Modify Drawing	Lucas 10/03/18	Lucas 10/03/18	Ray 10/03/18



USB A MALE  
RIGHT ANGLE RIGHT  
MOLDED BLACK

PIN OUT

USB A M	Color	Micro-USB BM
1	RED	1
2	WHITE	2
3	GREEN	3
4	BLACK	5
5	BLUE	6
6	YELLOW	7
7	DRAIN	8
8	PURPLE	9
9	ORANGE	10
SHEEL	BRAID	SHEEL

Micro USB BM  
RIGHT ANGLE LEFT  
MOLDED BLACK

P/N	LENGTH
RR-ARML-06GR	153 <sup>+20</sup> <sub>-0</sub>
RR-ARML-7.5GR	191 <sup>+20</sup> <sub>-0</sub>
RR-ARML-8.5GR	216 <sup>+20</sup> <sub>-0</sub>
RR-ARML-10GR	255 <sup>+30</sup> <sub>-0</sub>
RR-ARML-20GR	508 <sup>+30</sup> <sub>-0</sub>
RR-ARML-40GR	1016 <sup>+40</sup> <sub>-0</sub>
RR-ARML-78GR	1980 <sup>+60</sup> <sub>-0</sub>



TITLE USB3.0 AM RIGHT ANGLE RIGHT TO Micro-BM RIGHT ANGLE LEFT						DRAWING NUMBER RR-ARML-XXGR			REV. A1	
THIRD ANGLE PROJECTION	SIZE B	SCALE 1:1	DRAW / DATE Lucas 05/05/14	CHECK / DATE Ray 05/05/14	APPROVE / DATE Ray 05/05/14	TOLERANCES X.X ± 0.5 X.XX ± 0.2		ANGLES X.XXX ± 0.05 X.XX ± 1°	UNIT mm	SHEET 1/3

THE INFORMATION CONTAINED HEREIN IS PROPRIETARY AND CONFIDENTIAL TO RR BUSINESS VENTURES, LLC. THE POSSESSOR AGREES TO THE FOLLOWING

1. MAINTAIN THIS DOCUMENT IN CONFIDENCE
2. NOT TO REPRODUCE OR COPY IT
3. NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART

1

2

3

4

1

2

3

4

REV	ECN#	DESCRIPTION OF REVISION	DRAW BY DATE	CHECK BY DATE	APPROVE BY DATE
A1	ECN-180917	Modify Drawing	Lucas 10/03/18	Lucas 10/03/18	Ray 10/03/18

\*\*\*CONSTRUCTION:

1.CABLE: \* UL2725 (1PR/28#+EAM)\*2+(1PR/28#+A)+2C/24#+AB85%  
OD:5.5mm BLACKE JACKET (REV:3.0)

\*\*\*CONNECTOR:

2.USB A/M: \* USB A "3.0" TYPE 9PIN MALE SOLDER TYPE.(SWEETRAY P/N:CHUSB3AM03B)  
\* PINS: 30u GOLD PLATED OVER NICKEL.  
\* SHELL: STEEL WITH GOLD FLASH .  
\* INSULATOR: BLUE COLOR P.B.T UL 94V-0 RATED.  
\* MOLDED BLACK PVC 45P.

3.Micro-USB B/M: \* MICRO-USB B "3.0" TYPE 10PIN MALE SOLDER TYPE.(SWEETRAY P/N:CHMICROUSB3BM01E)  
\* PINS: 30u GOLD PLATED OVER NICKEL.  
\* SHELL: STEEL WITH GOLD FLASH .  
\* INSULATOR: BLACK COLOR P.B.T UL 94V-0 RATED.  
\* MOLDED BLACK PVC 45P.

4.TEST: \* CT: 2 ohm IS: 5M ohm.

5.PACKING: \* PACK EACH CABLE IN A POLY BAG AND 25PCS IN A POLY BAG.

6.MATERIAL: \* MATERIAL WITH RoHS GRADE.



TITLE USB3.0 AM RIGHT ANGLE RIGHT TO Micro-BM RIGHT ANGLE LEFT						DRAWING NUMBER RR-ARML-XXGR			REV. A1
	B	1:1	Lucas 05/05/14	Ray 05/05/14	Ray 05/05/14	X.X ± 0.5 X.XX ± 0.2	X.XXX ± 0.05 ANGLES ± 1°	mm	2/3
THIRD ANGLE PROJECTION	SIZE	SCALE	DRAW / DATE	CHECK / DATE	APPROVE / DATE	TOLERANCES		UNIT	SHEET

THE INFORMATION CONTAINED HEREIN IS PROPRIETARY AND CONFIDENTIAL TO RR BUSINESS VENTURES, LLC. THE POSSESSOR AGREES TO THE FOLLOWING

1. MAINTAIN THIS DOCUMENT IN CONFIDENCE
2. NOT TO REPRODUCE OR COPY IT
3. NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART

1

2

3

4


REV	ECN#	DESCRIPTION OF REVISION	DRAW BY DATE	CHECK BY DATE	APPROVE BY DATE
A1	ECN-180917	Modify Drawing	Lucas 10/03/18	Lucas 10/03/18	Ray 10/03/18

P/N	LENGTH(mm)	PE BAG(Inch)	PACKAGE
RR-ARML-06GR	153 <sup>+20</sup> <sub>-0</sub>	5.5"*10	(1)
RR-ARML-7.5GR	191 <sup>+20</sup> <sub>-0</sub>	5.5"*10	(2)
RR-ARML-8.5GR	216 <sup>+20</sup> <sub>-0</sub>	5.5"*10	(2)
RR-ARML-10GR	255 <sup>+30</sup> <sub>-0</sub>	5.5"*10	(2)
RR-ARML-20GR	508 <sup>+30</sup> <sub>-0</sub>	5.5"*10	(2)
RR-ARML-40GR	1016 <sup>+40</sup> <sub>-0</sub>	5.5"*10	(2)
RR-ARML-78GR	1980 <sup>+60</sup> <sub>-0</sub>	5.5"*10	(3)

PE BAG LABEL




RoHS LABEL




NOTES:PACK EACH CABLE IN A POLY BAG AND 25PCS IN A POLY BAG.




PACK(1)



PACK(2)



PACK(3)



TITLE USB3.0 AM RIGHT ANGLE RIGHT TO Micro-BM RIGHT ANGLE LEFT						DRAWING NUMBER RR-ARML-XXGR			REV. A1
THIRD ANGLE PROJECTION	SIZE	SCALE	DRAW / DATE	CHECK / DATE	APPROVE / DATE	TOLERANCES		UNIT	SHEET
	B	1:1	Lucas 05/05/14	Ray 05/05/14	Ray 05/05/14	X.X ± 0.5 X.XX ± 0.2	X.XXX ± 0.05 ANGLES ± 1°	mm	3/3

THE INFORMATION CONTAINED HEREIN IS PROPRIETARY AND CONFIDENTIAL TO RR BUSINESS VENTURES, LLC. THE POSSESSOR AGREES TO THE FOLLOWING

1. MAINTAIN THIS DOCUMENT IN CONFIDENCE
2. NOT TO REPRODUCE OR COPY IT
3. NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART