




REV	ECN#	DESCRIPTION OF REVISION	DRAW BY DATE	CHECK BY DATE	APPROVE BY DATE
A0		Mass Production	Lucas 09/05/14	Ray 09/05/14	Ray 09/05/14



PIN OUT

USB3.0 A M		USB3.0 A M
1	RED	1
2	WHITE	2
3	GREEN	3
4	BLACK	4
5	BLUE	8
6	YELLOW	9
7	DRAIN	7
8	PURPLE	5
9	ORANGE	6
	BRAID	
SHEEL		SHEEL

P/N	LENGTH
RR-ARx2-20GR	508 ⁺³⁰ ₋₀
RR-ARx2-78GR	1980 ⁺⁶⁰ ₋₀

GTC
 DOC.CENTER.ISSUE
 SEP.05.2014
 ONLY FOR
 RELEASE

TITLE USB3.0 AM RIGHT ANGLE RIGHT TO AM RIGHT ANGLE RIGHT					DRAWING NUMBER RR-ARx2-XXGR			REV. A0	
THIRD ANGLE PROJECTION	SIZE B	SCALE 1:1	DRAW / DATE Lucas 09/05/14	CHECK / DATE Ray 09/05/14	APPROVE / DATE Ray 09/05/14	TOLERANCES XX ± 0.5 X.XX ± 0.2	ANGLES X.XXX ± 0.05 ANGLES ± 1°	UNIT mm	SHEET 1/3

THE INFORMATION CONTAINED HEREIN IS THE PROPRIETARY INFORMATION OF RR BUSINESS VENTURES, LLC. THE POSSESSOR AGREES TO THE FOLLOWING

1. MAINTAIN THIS DOCUMENT IN CONFIDENCE
2. NOT TO REPRODUCE OR COPY IT
3. NOT TO REVEAL OR PUBLISH IT IN WHOLE OR IN PART

COPYRIGHT © 2019

1

2

3

4

REV	ECN#	DESCRIPTION OF REVISION	DRAW BY DATE	CHECK BY DATE	APPROVE BY DATE
A0		Mass Production	Lucas 09/05/14	Ray 09/05/14	Ray 09/05/14

***CONSTRUCTION:

1.CABLE:

* UL2725 (1PR/28#+EAM)*2+(1PR/28#+A)+2C/24#+AB85%
 OD:5.5mm BLACKE JACKET (REV:3.0)

***CONNECTOR:

2.USB A/M:

* USB A "3.0" TYPE 9PIN MALE SOLDER TYPE. (SWEETRAY P/N:CHUSB3AM03B)
 * PINS: 30u GOLD PLATED OVER NICKEL.
 * SHELL: STEEL WITH GOLD FLASH .
 * INSULATOR: BLUE COLOR P.B.T UL 94V-0 RATED.
 * MOLDED BLACK PVC 45P.

3.TEST:


* CT: 2 ohm IS: 5M ohm.

4.PACKING:

* PACK EACH CABLE IN A POLY BAG AND 25PCS IN A POLY BAG.

5.MATERIAL:

* MATERIAL WITH RoHS GRADE.



TITLE USB3.0 AM RIGHT ANGLE RIGHT TO AM RIGHT ANGLE RIGHT						DRAWING NUMBER RR-ARx2-XXGR			REV. A0
--	--	--	--	--	--	--------------------------------	--	--	------------

DD NOT SCALE DRAWINGS	B	1:1	Lucas 09/05/14	Ray 09/05/14	Ray 09/05/14	X.X ± 0.5 X.XX ± 0.2	X.XXX ± 0.05 ANGLES ± 1°	mm	2/3
THIRD ANGLE PROJECTION	SIZE	SCALE	DRAW / DATE	CHECK / DATE	APPROVE / DATE	TOLERANCES		UNIT	SHEET

THE INFORMATION CONTAINED HEREIN IS THE PROPRIETARY INFORMATION OF RR BUSINESS VENTURES, LLC. THE POSSESSOR AGREES TO THE FOLLOWING
 1. MAINTAIN THIS DOCUMENT IN CONFIDENCE
 2. NOT TO REPRODUCE OR COPY IT
 3. NOT TO REVEAL OR PUBLISH IT IN WHOLE OR IN PART

COPYRIGHT © 2019

1

2

3

4

1

2

3

4


REV	ECN#	DESCRIPTION OF REVISION	DRAW BY DATE	CHECK BY DATE	APPROVE BY DATE
A0		Mass Production	Lucas 09/05/14	Ray 09/05/14	Ray 09/05/14

P/N	LENGTH	PE BAG	PACKAGE
RR-ARx2-20GR	508 ⁺³⁰ ₋₀	5.5"*10	(1)
RR-ARx2-78GR	1980 ⁺⁶⁰ ₋₀	5.5"*10	(1)

PE BAG LABEL






RoHS LABEL



NOTES:PACK EACH CABLE IN A POLY BAG AND 25PCS IN A POLY BAG.

PACK(1)



TITLE USB3.0 AM RIGHT ANGLE RIGHT TO AM RIGHT ANGLE RIGHT					DRAWING NUMBER RR-ARx2-XXGR			REV. A0
--	--	--	--	--	--------------------------------	--	--	------------

 THIRD ANGLE PROJECTION	 SIZE	 SCALE	 DRAW / DATE	 CHECK / DATE	 APPROVE / DATE	 TOLERANCES	 UNIT	 SHEET
	B	1:1	Lucas 09/05/14	Ray 09/05/14	Ray 09/05/14	X.X ± 0.5 X.XX ± 0.2	X.XXX ± 0.05 ANGLES ± 1°	mm 3/3

THE INFORMATION CONTAINED HEREIN IS THE PROPRIETARY INFORMATION OF RR BUSINESS VENTURES, LLC. THE POSSESSOR AGREES TO THE FOLLOWING

1. MAINTAIN THIS DOCUMENT IN CONFIDENCE
2. NOT TO REPRODUCE OR COPY IT
3. NOT TO REVEAL OR PUBLISH IT IN WHOLE OR IN PART

COPYRIGHT © 2019

1

2

3

4