


1

2

3

4

REV	ECN#	DESCRIPTION OF REVISION	DRAW BY DATE	CHECK BY DATE	APPROVE BY DATE
A1	ECN-180917	Modify Drawing	Lucas 10/03/18	Lucas 10/03/18	Ray 10/03/18




GTC
DOC.CENTER.ISSUE
OCT.03.2018
ONLY FOR
RELEASE

Micro USB BM
RIGHT ANGLE RIGHT
MOLDED BLACK

PIN OUT

Micro-USB BM	USB A M
1 — RED — 1	
2 — WHITE — 2	
3 — GREEN — 3	
5 — BLACK — 4	
6 — BLUE — 5	
7 — YELLOW — 6	
8 — DRAIN — 7	
9 — PURPLE — 8	
10 — ORANGE — 9	
SHEEL — BRAID — SHEEL	



USB A MALE
RIGHT ANGLE RIGHT
MOLDED BLACK

P/N	LENGTH
RR-ARMR-06GR	153 ⁺²⁰ ₋₀
RR-ARMR-10GR	255 ⁺³⁰ ₋₀
RR-ARMR-20GR	508 ⁺³⁰ ₋₀
RR-ARMR-40GR	1016 ⁺³⁰ ₋₀
RR-ARMR-78GR	1980 ⁺⁶⁰ ₋₀

TITLE Micro-BM RIGHT-ANGLE RIGHT TO USB3.0 AM RIGHT-ANGLE RIGHT					DRAWING NUMBER RR-ARMR-XXGR			REV. A1	
THIRD ANGLE PROJECTION	SIZE B	SCALE 1:1	DRAW / DATE Lucas 06/23/14	CHECK / DATE Ray 06/23/14	APPROVE / DATE Ray 06/23/14	TOLERANCES X.X ± 0.5 X.XX ± 0.2	ANGLES X.XXX ± 0.05 ANGLES ± 1°	UNIT mm	SHEET 1/3

THE INFORMATION CONTAINED HEREIN IS PROPRIETARY AND CONFIDENTIAL TO RR BUSINESS VENTURES, LLC. THE POSSESSOR AGREES TO THE FOLLOWING

1. MAINTAIN THIS DOCUMENT IN CONFIDENCE
2. NOT TO REPRODUCE OR COPY IT
3. NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART

1

2

3

4

1

2

3

4

REV	ECN#	DESCRIPTION OF REVISION	DRAW BY DATE	CHECK BY DATE	APPROVE BY DATE
A1	ECN-180917	Modify Drawing	Lucas 10/03/18	Lucas 10/03/18	Ray 10/03/18

***CONSTRUCTION:


1.CABLE: * UL2725 (1PR/28#+EAM)*2+(1PR/28#+A)+2C/24#+AB85%
OD:5.5mm BLACKE JACKET (REV:3.0)

***CONNECTOR:

2.USB A/M: * USB A "3.0" TYPE 9PIN MALE SOLDER TYPE.(SWEETRAY P/N:CHUSB3AM03B)
* PINS: 30u GOLD PLATED OVER NICKEL.
* SHELL: STEEL WITH GOLD FLASH .
* INSULATOR: BLUE COLOR P.B.T UL 94V-0 RATED.
* MOLDED BLACK PVC 45P.

3.Micro-USB B/M: * MICRO-USB B "3.0" TYPE 10PIN MALE SOLDER TYPE.(SWEETRAY P/N:CHMICROUSB3BM01E)
* PINS: 30u GOLD PLATED OVER NICKEL.
* SHELL: STEEL WITH GOLD FLASH .
* INSULATOR: BLACK COLOR P.B.T UL 94V-0 RATED.
* MOLDED BLACK PVC 45P.

4.TEST: * CT: 2 ohm IS: 5M ohm.
5.PACKING: * PACK EACH CABLE IN A POLY BAG AND 25PCS IN A POLY BAG.
6.MATERIAL: * MATERIAL WITH RoHS GRADE.



TITLE Micro-BM RIGHT-ANGLE RIGHT TO USB3.0 AM RIGHT-ANGLE RIGHT						DRAWING NUMBER RR-ARMR-XXGR			REV. A1
DO NOT SCALE DRAWINGS	B	1:1	Lucas 06/23/14	Ray 06/23/14	Ray 06/23/14	X.X ± 0.5 X.XX ± 0.2	X.XXX ± 0.05 ANGLES ± 1°	mm	2/3
THIRD ANGLE PROJECTION	SIZE	SCALE	DRAW / DATE	CHECK / DATE	APPROVE / DATE	TOLERANCES		UNIT	SHEET

THE INFORMATION CONTAINED HEREIN IS PROPRIETARY AND CONFIDENTIAL TO RR BUSINESS VENTURES, LLC. THE POSSESSOR AGREES TO THE FOLLOWING
1. MAINTAIN THIS DOCUMENT IN CONFIDENCE
2. NOT TO REPRODUCE OR COPY IT
3. NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART

1

2

3

4

1

2

3

4

REV	ECN#	DESCRIPTION OF REVISION	DRAW BY DATE	CHECK BY DATE	APPROVE BY DATE
A1	ECN-180917	Modify Drawing	Lucas 10/03/18	Lucas 10/03/18	Ray 10/03/18

P/N	LENGTH(mm)	PE BAG(Inch)	PACKAGE
RR-ARMR-06GR	153 ⁺²⁰ ₀	5.5"*10	(1)
RR-ARMR-10GR	255 ⁺³⁰ ₀	5.5"*10	(2)
RR-ARMR-20GR	508 ⁺³⁰ ₀	5.5"*10	(2)
RR-ARMR-40GR	1016 ⁺⁶⁰ ₀	5.5"*10	(2)
RR-ARMR-78GR	1980 ⁺⁶⁰ ₀	5.5"*10	(2)

PE BAG LABEL


RR-ARMR-XXGR REV:XX
LOT: XXXX
Made in China

25

75mm


RR-ARMR-XXGR REV:XX QTY:25PCS
LOT: XXXX
Made in China

RoHS LABEL





NOTES:PACK EACH CABLE IN A POLY BAG
AND 25PCS IN A POLY BAG.

PACK(1)



PACK(2)



TITLE						DRAWING NUMBER			REV.
Micro-BM RIGHT-ANGLE RIGHT TO USB3.0 AM RIGHT-ANGLE RIGHT						RR-ARMR-XXGR			A1
DO NOT SCALE DRAWINGS	B	1:1	Lucas 06/23/14	Ray 06/23/14	Ray 06/23/14	X.X ± 0.5 X.XX ± 0.2	X.XXX ± 0.05 ANGLES ± 1°	mm	3/3
THIRD ANGLE PROJECTION	SIZE	SCALE	DRAW / DATE	CHECK / DATE	APPROVE / DATE	TOLERANCES		UNIT	SHEET



THE INFORMATION CONTAINED HEREIN IS PROPRIETARY AND CONFIDENTIAL TO RR BUSINESS VENTURES, LLC. THE POSSESSOR AGREES TO THE FOLLOWING

1. MAINTAIN THIS DOCUMENT IN CONFIDENCE
2. NOT TO REPRODUCE OR COPY IT
3. NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART

1

2

3

4