

# USB2.0+IEEE1394 Host Controller


## Quick Installation Guide

The enclosed Hardware Installation Guide gives you a step-by-step explanation of how to install the USB2.0+IEEE1394 Host card on your Desktop or Notebook.


### INSTALLATION

#### 1. Driver Installation for Windows 98SE/ME


**! Please Make sure USB2.0+IEEE1394 Combo Card has been correctly installed on to the system. (For Combo Cardbus user please always connect power adapter when use)**




Open the Device Manager and check if there is a yellow exclamation mark on any one of the "VIA Tech 3038 PCI to USB Universal Host Controller" items.




Insert the supplied "USB2.0+IEEE1394 Combo PCI Card Driver Installation CD" and execute the setup program by double click on the "SETUP.exe" file.



Press "Next"



Select "Install USB Driver" and press "Next".




Press "Finish" and this will RESTART the computer system. Please remember to SAVE all files before clicking the "Finish" button.


**Note: For Driver Uninstallation, the user can remove the "Microsoft USB 2.0 Host Controller Driver" by selecting the "Uninstall" button. This will completely remove the driver from the system.**

## 2. Driver Installation for Windows 2000


**! Install Service Pack 3 or above before running the set up program. Please Make sure USB2.0+IEEE1394 Combo Card has been correctly installed on to the system. (For Combo Cardbus user please always connect power adapter when use)**




Open the Device Manager and check if there is a “Universal Serial Bus (USB) Controller” under “Other devices”.




Insert the supplied USB2.0+IEEE1394 Combo PCI Card Driver Installation CD” and execute the setup program by double click on the “SETUP.exe” file.




**The screen shows the “Software License Agreement”. Please read it FIRST and press “Yes” if wish to further proceed the driver installation.**




**Press “Next”.**




Select "Install USB Driver" and press "Next"




The screen shows the Microsoft Software License Agreement. Please read it FIRST and press "Yes" if wish to further proceed the driver installation.




Press "OK"



Press "Print to File".



Press "OK".




Press "Finish" and the Microsoft EHCI drivers for Windows 2000 is now installed successfully. Welcome to the world of High-Speed USB 2.0.

**Note: For Driver Uninstallation, the user can remove the "Microsoft USB 2.0 Host Controller Driver" by selecting the "Uninstall" button. This will completely remove the driver from the system.**

### 3. Driver Installation for Windows XP


Please install Microsoft Windows XP Service Pack 1 before running the setup program. Make sure USB2.0+IEEE1394 Combo Card has been correctly installed on to the system. (For Combo Cardbus user please always connect power adapter when use)




SETUP.exe will redirect the user to Microsoft Windows Update for downloading the drivers, please make sure internet connection is set up.




Select "Install USB 2.0 Host driver" and Click "Next"



Click "Yes" and the setup program will enable the user to connect to the Windows Update web site.



SETUP.exe launches Microsoft Internet Explorer and opens <http://windowsupdate.microsoft.com>. Click on the "Scan for updates" to get the latest updates.



Microsoft Windows Update lists all available updates on the website. It is recommended to download the Windows XP Service Pack 1 since Microsoft EHCI drivers will be included.