


Note:

1.Type C -Pin out is the same as this drawing.

REV	ECN#	DESCRIPTION OF REVISION	DRAW BY DATE	CHECK BY DATE	APPROVE BY DATE
A0			Lucas 03/11/24	Lucas 03/11/24	Ray 03/11/24



P/N	LENGTH
RR-ASCV-08GRCX	203 ⁺²⁰ ₋₀

TITLE						DRAWING NUMBER			REV.	
USB3.0 AM TO USB3.1 C TYPE MALE RIGHT ANGLE UP/DOWN						RR-ASCV-XXGRCX			A0	
	B	1:1	Lucas 03/11/24	Lucas 03/11/24	Ray 03/11/24	X.X X.XX	± 0.5 ± 0.2	X.XXX ANGLES	± 0.05 ± 1°	mm
THIRD ANGLE PROJECTION	SIZE	SCALE	DRAW / DATE	CHECK / DATE	APPROVE / DATE	TOLERANCES			UNIT	SHEET



THE INFORMATION CONTAINED HEREIN IS PROPRIETARY AND CONFIDENTIAL TO RR BUSINESS VENTURES, LLC. THE POSSESSOR AGREES TO THE FOLLOWING

1. MAINTAIN THIS DOCUMENT IN CONFIDENCE
2. NOT TO REPRODUCE OR COPY IT
3. NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART

1		2		3		4			
D				REV	ECN#	DESCRIPTION OF REVISION	DRAW BY DATE	CHECK BY DATE	APPROVE BY DATE
				A0			Lucas 03/11/24	Lucas 03/11/24	Ray 03/11/24
C									
B									
A									

ITEM	Part name	MATERIAL/FINISH	Q,ty
1	Cable	UL2725 (1P/32#+EAM)*2+(1P/32#)+(2C/28#)+AEB 65% OD:4.2mm BLACK PVC JACKET	1
2	USB 3.0 AM	USB3.0 A TYPE 9PIN MALE SOLDER TYPE	1
		PINS: 30u GOLD PLATED OVER NICKEL	
		INSULATOR: BLUE COLOR P.B.T UL 94V-0 RATED	
		SHELL: STEEL WITH GOLD FLASH	
3	USB Type CM	USB TYPE C MALE SOLDER TYPE,RESISTOR(56KΩ) AND CAPACITOR(10nF 30V)	1
		PINS: 30u GOLD PLATED OVER NICKEL	
		INSULATOR: BLACK COLOR P.B.T UL 94V-0 RATED	
		SHELL: STEEL WITH GOLD FLASH	
4	inner Mold	HENKEL: A2035 94A	AR
5	Over Mold	BLACK PVC 45P	AR
6	Copper foil	Copper foil	AR

DO NOT SCALE DRAWINGS

THIRD ANGLE PROJECTION

SIZE

SCALE

DRAW / DATE

CHECK / DATE

APPROVE / DATE

TOLERANCES

UNIT

SHEET

TITLE

USB3.0 AM TO USB3.1 C TYPE MALE RIGHT ANGLE UP/DOWN

DRAWING NUMBER

RR-ASCV-XXGRCX

REV.

A0

USB FIREWIRE.com

THE INFORMATION CONTAINED HEREIN IS PROPRIETARY AND CONFIDENTIAL TO RR BUSINESS VENTURES, LLC. THE POSSESSOR AGREES TO THE FOLLOWING

1. MAINTAIN THIS DOCUMENT IN CONFIDENCE

2. NOT TO REPRODUCE OR COPY IT

3. NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART

GTC

DOC.CENTER.ISSUE

MAR.11.2024

ONLY FOR RELEASE

1

2

3

4

1

2

3

4

REV	ECN#	DESCRIPTION OF REVISION	DRAW BY DATE	CHECK BY DATE	APPROVE BY DATE
A0			Lucas 03/11/24	Lucas 03/11/24	Ray 03/11/24

P/N	LENGTH(mm)	PE BAG(Inch)	PACKAGE
RR-ASCV-08GRCX	203 ⁺²⁰ ₀	5.5"*10	(2)


PE BAG LABEL

RR-ASCV-XXGRCX REV:XX
LOT: XXXX
Made in China

75mm


RR-ASCV-XXGRCX REV:XX QTY:25PCS
LOT: XXXX
Made in China

RoHS LABEL





NOTES:PACK EACH CABLE IN A POLY BAG
AND 25PCS IN A POLY BAG.

PACK(1)



PACK(2)



TITLE
USB3.0 AM TO USB3.1 C TYPE MALE RIGHT ANGLE UP/DOWN

DRAWING NUMBER
RR-ASCV-XXGRCX

REV.
A0

	B	1:1	Lucas 03/11/24	Lucas 03/11/24	Ray 03/11/24	X.X ± 0.5 X.XX ± 0.2	X.XXX ± 0.05 ANGLES ± 1°	mm	3/3
THIRD ANGLE PROJECTION	SIZE	SCALE	DRAW / DATE	CHECK / DATE	APPROVE / DATE	TOLERANCES		UNIT	SHEET



THE INFORMATION CONTAINED HEREIN IS PROPRIETARY
AND CONFIDENTIAL TO RR BUSINESS VENTURES, LLC. THE
POSSESSOR AGREES TO THE FOLLOWING
1. MAINTAIN THIS DOCUMENT IN CONFIDENCE
2. NOT TO REPRODUCE OR COPY IT
3. NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART