


1

2

3

4

REV	ECN#	DESCRIPTION OF REVISION	DRAW BY DATE	CHECK BY DATE	APPROVE BY DATE
A2	ECN-181206	Del Cable UL Printing	Lucas 12/12/18	Lucas 12/12/18	Ray 12/12/18




PIN OUT

USB A M		Micro-USB BM
1	RED	1
2	WHITE	2
3	GREEN	3
4	BLACK	5
5	BLUE	6
6	YELLOW	7
7	DRAIN	8
8	PURPLE	9
9	ORANGE	10
SHEEL	BRAID	SHEEL

P/N	LENGTH
RR-ASMSK-20GRHF	508 ⁺³⁰ ₋₀
RR-ASMSK-78GRHF	1980 ⁺⁶⁰ ₋₀
RR-ASMSK-120GRHF	3048±50

GTC
 DOC.CENTER.ISSUE
 DEC.12.2018
 ONLY FOR
 RELEASE

TITLE USB3.0 AM To Micro USB3.0 BM					DRAWING NUMBER RR-ASMSK-XXGRHF			REV. A2	
DO NOT SCALE DRAWINGS	B	1:1	Lucas 01/21/16	Ray 01/21/16	Ray 01/21/16	XX ± 0.5 X.XX ± 0.2	X.XXX ± 0.05 ANGLES ± 1°	mm	1/3
THIRD ANGLE PROJECTION	SIZE	SCALE	DRAW / DATE	CHECK / DATE	APPROVE / DATE	TOLERANCES		UNIT	SHEET


USB FIREWIRE.com

THE INFORMATION CONTAINED HEREIN IS PROPRIETARY AND CONFIDENTIAL TO RR BUSINESS VENTURES, LLC. THE POSSESSOR AGREES TO THE FOLLOWING:
 1. MAINTAIN THIS DOCUMENT IN CONFIDENCE
 2. NOT TO REPRODUCE OR COPY IT
 3. NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART

1

2

3

4

1

2

3

4

REV	ECN#	DESCRIPTION OF REVISION	DRAW BY DATE	CHECK BY DATE	APPROVE BY DATE
A2	ECN-181206	Del Cable UL Printing	Lucas 12/12/18	Lucas 12/12/18	Ray 12/12/18

***CONSTRUCTION:



1.CABLE:

- * (1PR/28#+EAM)*2+1PR/28#+2C/24#+FEP TAPE+S90%
OD:5.5mm BLACKE JACKET (REV:3.0)

***CONNECTOR:

2.USB A/M:

- * USB A "3.0" TYPE 9PIN MALE SOLDER TYPE.(NEW-CONN P/N:06801508M5CA)
- * PINS: 30u GOLD PLATED OVER NICKEL.
- * SHELL: STEEL WITH GOLD FLASH .
- * INSULATOR: BLUE COLOR P.B.T UL 94V-0 RATED.
- * MOLDED BLACK PVC 45P.

3.Micro-USB B/M:

- * MICRO-USB B "3.0" TYPE 10PIN MALE SOLDER TYPE.(SWEETRAY P/N:CHMICROUSB3BM01E)
- * PINS: 30u GOLD PLATED OVER NICKEL.
- * SHELL: STEEL WITH GOLD FLASH .
- * INSULATOR: BLACK COLOR P.B.T UL 94V-0 RATED.
- * SCREW: M2 6.0*30.5mm.
- * MOLDED BLACK PVC 45P.

4.TEST:


- * CT: 2 ohm IS: 5M ohm.

5.PACKING:


- * PACK EACH CABLE IN A POLY BAG AND 25PCS IN A POLY BAG.

6.MATERIAL:

- * MATERIAL WITH RoHS GRADE.



TITL			DRAWING NUMBER			REV.			
USB3.0 AM To Micro USB3.0 BM			RR-ASMSK-XXGRHF			A2			
	B	1:1	Lucas 01/21/16	Ray 01/21/16	Ray 01/21/16	X.X ± 0.5 X.XX ± 0.2	X.XXX ± 0.05 ANGLES ± 1°	mm	2/3
THIRD ANGLE PROJECTION	SIZE	SCALE	DRAW / DATE	CHECK / DATE	APPROVE / DATE	TOLERANCES		UNIT	SHEET



THE INFORMATION CONTAINED HEREIN IS PROPRIETARY AND CONFIDENTIAL TO RR BUSINESS VENTURES, LLC. THE POSSESSOR AGREES TO THE FOLLOWING

1. MAINTAIN THIS DOCUMENT IN CONFIDENCE
2. NOT TO REPRODUCE OR COPY IT
3. NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART

1

2

3

4

1

2

3

4

REV	ECN#	DESCRIPTION OF REVISION	DRAW BY DATE	CHECK BY DATE	APPROVE BY DATE
A2	ECN-181206	Del Cable UL Printing	Lucas 12/12/18	Lucas 12/12/18	Ray 12/12/18

P/N	LENGTH(mm)	PE BAG(Inch)	PACKAGE
RR-ASMSK-20GRHF	508 ⁺³⁰ ₀	5.5"*10"	(1)
RR-ASMSK-78GRHF	1980 ⁺⁶⁰ ₀	5.5"*10"	(2)
RR-ASMSK-120GRHF	3048±50	7"*10	(2)

PE BAG LABEL

RR-ASMSK-XXGRHF REV:XX
LOT: XXXX
Made in China

25

75mm

RR-ASMSK-XXGR REV:XXHF QTY:25PCS
LOT: XXXX
Made in China

RoHS LABEL

12




12

Green



Black

NOTES:PACK EACH CABLE IN A POLY BAG AND 25PCS IN A POLY BAG.

PACK(1)



PACK(2)



TITLE USB3.0 AM To Micro USB3.0 BM						DRAWING NUMBER RR-ASMSK-XXGRHF			REV. A2
THIRD ANGLE PROJECTION	SIZE	SCALE	DRAW / DATE	CHECK / DATE	APPROVE / DATE	TOLERANCES		UNIT	SHEET
	B	1:1	Lucas 01/21/16	Ray 01/21/16	Ray 01/21/16	X.X ± 0.5 X.XX ± 0.2	X.XXX ± 0.05 ANGLES ± 1°	mm	3/3

THE INFORMATION CONTAINED HEREIN IS PROPRIETARY AND CONFIDENTIAL TO RR BUSINESS VENTURES, LLC. THE POSSESSOR AGREES TO THE FOLLOWING:
1. MAINTAIN THIS DOCUMENT IN CONFIDENCE
2. NOT TO REPRODUCE OR COPY IT
3. NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART

1

2

3

4